



# PARADISE COLLECTION



UPHOLSTERY  
Tapicería



CURTAINS  
Cortinas



CUSHIONS  
Cojines



FIRE  
RETARDANT  
EN 1325-1:2014  
NFPA 260  
CAL. TB 117  
BS 5852-1



EASY CLEAN  
Fácil limpieza



CONFIDENCE  
IN TEXTILES  
Tested for harmful substances  
according to Oeko-Tex® Standard 100  
981699  
ATEX







# ARUBA DESIGN



55 inch. simulation  
140 cm. simulación

**REPEAT WEFT** REPETICIÓN TRAMA: 14 inches - 35 cm  
**REPEAT WARP** REPETICIÓN URDIMBRE: 14 inches - 35 cm



ARUBA 15



ARUBA 35



ARUBA 64



ARUBA 65




ARUBA 75



ARUBA 85

# EDEN DESIGN



55 inch. simulation  
140 cm. simulación

**REPEAT WEFT** REPETICIÓN TRAMA: 7 inches - 17.5 cm  
**REPEAT WARP** REPETICIÓN URDIMBRE: 7 inches - 17.5 cm



EDEN 15



EDEN 35



EDEN 64



EDEN 65




EDEN 75



EDEN 85

# PAMPA DESIGN



55 inch. simulation  
140 cm. simulación

**REPEAT WEFT** REPETICIÓN TRAMA: 7 inches - 17.5 cm  
**REPEAT WARP** REPETICIÓN URDIMBRE: 7 inches - 17.5 cm





PAMPA 15



PAMPA 35



PAMPA 64



PAMPA 65



PAMPA 75



PAMPA 85

# PARADISE DESIGN



55 inch. simulation  
140 cm. simulación

**REPEAT WEFT** REPETICIÓN TRAMA: 28 inches - 70 cm  
**REPEAT WARP** REPETICIÓN URDIMBRE: 25 inches - 64 cm



PARADISE 15



PARADISE 35



PARADISE 64



PARADISE 65




PARADISE 75



PARADISE 85

# PARAGUAY DESIGN



55 inch. simulation  
140 cm. simulación


**REPEAT WEFT** REPETICIÓN TRAMA: 11 inches - 28 cm  
**REPEAT WARP** REPETICIÓN URDIMBRE: 11 inches - 28 cm



PARAGUAY 15



PARAGUAY 35



PARAGUAY 64



PARAGUAY 65




PARAGUAY 75



PARAGUAY 85

# PARANA DESIGN



55 inch. simulation  
140 cm. simulación

**REPEAT WEFT** REPETICIÓN TRAMA: 14 inches - 35 cm  
**REPEAT WARP** REPETICIÓN URDIMBRE: 14 inches - 35 cm



PARANA 15



PARANA 35



PARANA 64



PARANA 65




PARANA 75



PARANA 85


# PASCUA DESIGN




55 inch. simulation  
140 cm. simulación

**REPEAT WEFT** REPETICIÓN TRAMA: 3 inches - 7 cm  
**REPEAT WARP** REPETICIÓN URDIMBRE: 3 inches - 7 cm






PASCUA 15



PASCUA 35



PASCUA 64



PASCUA 65




PASCUA 75



PASCUA 85

# PLATA DESIGN



← 55 inch. simulation 140 cm. simulación →

**REPEAT WEFT** REPETICIÓN TRAMA: 55 inches - 140 cm  
**REPEAT WARP** REPETICIÓN URDIMBRE: 25 inches - 64 cm



PLATA 02



PLATA 05



PLATA 06



PLATA 15



PLATA 35



PLATA 36



PLATA 50



PLATA 62



PLATA 64



PLATA 65



PLATA 75



PLATA 85

# PARADISE COLLECTION

## TECHNICAL SHEET / CARACTERÍSTICAS TÉCNICAS

WIDTH (inches) / ANCHO (cm)	110 - 55 / 280 - 140	
HS CODE / PARTIDA ARANCELARIA	58013600	
ROLL LENGTH (yd) / TAMAÑO PIEZA (mts)	27.5 / 25	
COMPOSITION / COMPOSICION	PES100%	
WEIGHT (oz/yd2) / PESO (gr/m2) (+-5%)	6.77 / 230	
WEIGHT (oz/yd) / PESO (gr/ml)	20.77 - 10.38 / 644.00 - 322.00	
ABRASION RESISTANCE (CYCLES) / RESISTENCIA A LA ABRASIÓN	40000	UNE EN ISO 12947-2
PILLING RESISTANCE (degrees) (1-5) / RESISTENCIA AL PILLING	5	UNE EN ISO 12945-2
VELCRO EFFECT (1-5) / EFECTO VELCRO (1-5)	5	CS4946
COLOUR FASTNESS TO LIGHT (degrees) (1-8) / SOLIDEZ A LA LUZ	5	UNE EN ISO 105-B02
COLOUR FASTNESS TO RUBBING (degrees) (1-5) / SOLIDEZ AL FROTE	5	UNE EN ISO 105-X12
COLOUR FASTNESS TO WASH (degrees) (1-5) / SOLIDEZ AL LAVADO	5	UNE EN ISO 105-C06
(%) WARP SHRINKAGE / ENCOGIMIENTO URDIMBRE (%)	1	UNE EN ISO 5077.
(%) WEFT SHRINKAGE / ENCOGIMIENTO TRAMA (%)	0	UNE EN ISO 5077
WARP TENSILE STRENGTH (N) / RESISTENCIA A LA TRACCIÓN	969.62	UNE EN ISO 13934-1
WEFT TENSILE STRENGTH (N) / RESISTENCIA A LA TRACCIÓN TRAMA	531.88	UNE EN ISO 13934-1
WARP EXTENSION AT BREAK (mm) / ALARGAMIENTO HASTA LA	36	UNE EN ISO 13934-1
WEFT EXTENSION AT BREAK (mm) / ALARGAMIENTO HASTA LA	38.3	UNE EN ISO 13934-1
WARP TEARING STRENGTH (N) / RESISTENCIA AL RASGADO	65.2	UNE EN ISO 13937-3
WEFT TEARING STRENGTH (N) / RESISTENCIA AL RASGADO TRAMA (N)	27.75	UNE EN ISO 13937-3
WARP SEAM SLIPPAGE (mm) / DESLIZAMIENTO DE LA COSTURA	2	UNE EN ISO 13936-1
WEFT SEAM SLIPPAGE (mm) / DESLIZAMIENTO DE LA COSTURA TRAMA	2	UNE EN ISO 13936-1
FIRE RETARDANT RULE / IGNÍFUGOS UNE EN 1021:2014-1	PASA	UNE EN 1021:2014-1
FIRE RETARDANT RULE / IGNÍFUGOS BS 5852-1	PASA	BS 5852-1

### CARE CONDITIONS

Condiciones e indicaciones de lavado



### RECOMMENDED USES

Usos y aplicaciones recomendadas




### SPECIAL FEATURES

Características especiales











[www.comersan.com](http://www.comersan.com) (global) | [www.comersanfabrics.com](http://www.comersanfabrics.com) (USA)

COMERSAN, S.A. is absolute owner of the trademarks, pictures and drawings being used. Their reproduction and/or transformation are completely forbidden without the company's express authorisation.